XCELITE®

Quality Tools

PREFERRED BY THE EXPERTS





CATALOG
No. 160

XCELITE, INC., ORCHARD PARK, N. Y., U. S. A.



TO OUR CUSTOMERS AND FRIENDS:

For thirty-nine years XCELITE has adhered to the policy adopted by the Founders of the Company — to make good tools, sell them at a fair price and NEVER BE AFRAID OF NEW IDEAS.

We are justly proud of the fact that we introduced the first plastic handle screwdrivers and "nutdrivers" (our own ORIGINAL name) and a long list of other firsts. Today we are just completing the FOURTH addition to our plant, the second within a three year period. We are still a small Company — small enough to know our employees by their first names. Wages and working conditions are so satisfactory that we have a minimum of employee turnover and a maximum of quality workmanship.

We extend our heartfelt thanks for the continued loyalty and support of XCELITE by the many jobbers, wholesalers and their salesmen; also the thousands of users of XCELITE tools. We welcome your suggestions and cordially invite you to visit us.

XCELITE INCORPORATED

First All Ways . . . Creators of "XCELITE"

• AMBER PLASTIC HANDLE • SHOCK PROOF • BREAK PROOF

• XCELITE SCREWDRIVERS •



SIZE is clearly marked on the handle. Easier to select the correct size — easier to re-order. Number on handle is catalog number, also gives size of screwdriver. **Example:** No. 144 means ¼" dia. blade; 4" long. Letters "R" or "S" signify round or square blade.

Note illustration "C" showing perfect rectangle of XceLite Tip insuring grip in screw slot. Illustration "D" shows "dubbed-off" result of ordinary grinding with the tendency to lift out of the screw under turning pressure.

TIP is properly ground and gauged to fit screw slot accurately. Ground on a flat belt grinder with grain running lengthwise on the blade "B" eliminates indentations of crosswise grinding "A", always a source of tip weakness and breakage. XceLite grinding insures uniformity right down to the edge of the tip; insuring perfect fit in the screw slot.





HANDLE is of genuine XceLite plastic — full man size — correctly shaped for grip and balance.

BLADE is skillfully forged of SAE 6150 Chrome Vanadium Electric Furnace Steel.

FLANGE on the blade at the handle resists shock of pounding.

EMBEDDED END of blade, winged design, prevents turning of the blade in the handle.

PROMOTION and SALES MATERIAL . . .

- **Merchandiser Brochure No. 128 . . . Containing various store merchandising displays.**
- **For Christmas or special occasions, we are prepared to furnish specially imprinted items . . . write for information and prices.**
- **"RADIO'S MASTER" Condensed Catalog Pages are available for mailing to customers.**
- **A Variety of Attractive Mailing Pieces, brochures, letter stuffers, individual sheets, etc. featuring Standard and New Items as they become available.**

Today's Industry Standards are Last Year's "XCELITE" *Firsts!*

ROUND BLADED SCREWDRIVERS



1/8" Dia. Blades 3/4" x 2 1/2" Handles

CATALOG No.	BLADE LENGTH	O/A LENGTH	WEIGHT PKG. OF 10
*R182	2	4 1/2	1/2 lb.
R184	4	6 1/2	5/8 lb.
R186	6	8 1/2	3/4 lb.
*R188	8	10 1/2	1 lb.
R1810	10	12 1/2	1 lb.

5/32" Dia. Blades 3/4" x 2 1/2" Handles

*R5323	3	5 1/2	3/4 lb.
R5324	4	6 1/2	3/4 lb.
R5325	5	7 1/2	7/8 lb.
R5328	8	10 1/2	1 lb.

3/16" Dia. Blade 7/8" x 3 5/8" Handles

R3163	3	6 5/8	1 3/8 lb.
*R3164	4	7 5/8	1 3/8 lb.
R3166	6	9 5/8	1 1/2 lb.
R3168	8	11 5/8	1 3/4 lb.
R31610	10	13 5/8	2 lb.

1/4" Dia. Blade 1" x 3 7/8" Handles

R142	2	6	1 3/4 lb.
*R144	4	8	2 lb.
R146	6	10	2 1/4 lb.
R148	8	12	2 5/8 lb.
R1410	10	14	2 7/8 lb.

5/16" Dia. Blade 1 1/16" x 4 1/4" Handles

R5164	4	8 1/4	3 1/8 lb.
R5166	6	10 1/4	3 1/2 lb.
*R5168	8	12 1/4	3 7/8 lb.

Pocket Style . . .

See Inside Back Cover for Card Displays.

3/32" Blades 1/2" x 2" Handles

R3322	2	4	1/4 lb.
R3323	3	5	1/4 lb.
R3324	4	6	1/4 lb.

1/8" Blades 1/2" x 2 " Handles

R181	2	4	3/8 lb.
R183	3	5	3/8 lb.
R184 1/2	4	6	3/8 lb.

*Illustrated.

AMBER PLASTIC HANDLES • SHOCK PROOF • BREAKPROOF

SQUARE BLADED SCREWDRIVERS

1/8" Sq. Blades 3/4" x 2 1/2" Handles

CATALOG No.	BLADE LENGTH	O/A LENGTH	WEIGHT PKG. OF 10
S183	3	5½	¾ lb.
S184	4	6½	¾ lb.
*S185	5	7½	¾ lb.

3/16" Sq. Blades 7/8" x 3 5/8" Handles

S3163	3	6⅝	1⅜ lb.
*S3164	4	7⅝	1½ lb.
S3166	6	9⅝	1⅝ lb.
S3168	8	11⅝	1⅞ lb.
S31610	10	13⅝	2 lb.

1/4" Sq. Blades 1" x 3 7/8" Handles

*S142	2	6	1⅞ lb.
*S144	4	8	2¼ lb.
S146	6	10	2½ lb.
S148	8	12	2⅞ lb.
S1424	24	28	each ½ lb.

5/16" Sq. Blades 1 1/16" x 4 1/4" Handles

S5162	2	6¼	2⅝ lb.
S5164	4	8¼	3½ lb.
*S5166	6	10¼	4 lb.
S5168	8	12¼	4½ lb.
S51610	10	14¼	5 lb.
S51612	12	16¼	5½ lb.

3/8" Sq. Blades 1 5/16 x 4 1/2" Handles

S388	8	12½	6 lb.

3/8" Sq. Blades 1 5/16" x 5 7/8" Handles

*S3812	12	17⅞	each ⅞ lb.
S3818	18	23⅞	each 1⅛ lb.

7/16" Sq. Blades 1 5/16" x 5 7/8" Handles

S7166	6	11⅞	(box 10) 7 lb.
S71612	12	17⅞	each 1 lb.
S71618	18	23⅞	each 1 lb.

Famous XCELITE Stubbies

S3161	3/16 x 1¼	2¾	¾ lb.
*S141	1/4 x 1¼	3¼	1¼ lb.
S5161	5/16 x 1¼	3¼	1¼ lb.

*Illustrated.



ALL BLADES ARE OF SAE 6150 CHROME VANADIUM *Electric Furnace* STEEL

PHILLIPS SCREWDRIVERS



Phillips screws are meeting with widespread acceptance by manufactures in nearly every line of business. Cars and trucks use them on mouldings, hinges and for other purposes . . . many radio assemblies employ them . . . not to mention scores of other products for shop, factory and home. All our Phillips Screwdrivers are made from alloy (not carbon) steel. Offered in 4 standard point sizes of varying lengths, as shown below.

CATALOG No.	POINT SIZE	BLADE LENGTH	BLADE DIAMETER	WEIGHT PKG. OF TEN
X101	1	3 in.	3/16 in.	1¼ lb.
X108	1	6 in.	3/16 in.	1½ lb.
X102	2	4 in.	1/4 in.	2 lb.
X103	3	6 in.	5/16 in.	3½ lb.
X104	4	8 in.	3/8 in.	5¼ lb.
Extra Long Type				
X1010	1	10 in.	3/16 in.	2 lb.
X1020	2	10 in.	1/4 in.	3 lb.
Short Stubby Type				
SX101	1	1-7/16 in.	3/16 in.	⅞ lb.
SX102	2	1-5/16 in.	1/4 in.	1¼ lb.
Pocket Clip Style				
P12S	0	2 in.	1/8 in.	⅜ lb.

See pages 6, 7 and 13 for these items in Reversible Type Blades.



REED & PRINCE SCREWDRIVERS



Reed and Prince screws also are meeting with widespread acceptance in radios, television, appliances, cabinets, etc. . . . They look like other cross slot screws, but there is an important difference and they require their own screwdriver bit design. (compare illustrations) While any size driver will fit any size screw . . . to obtain the best result small, medium or large drivers should be used according to the size screw being driven. Offered in 3 popular sizes, as shown below.

CATALOG No.	BLADE DIAMETER	BLADE LENGTH	WEIGHT PKG. OF TEN
RP101	3/16 in.	3 in.	1¼ lb.
RP102	1/4 in.	4 in.	2 lb.
RP103	5/16 in.	6 in.	5¼ lb.



ALL BLADES ARE OF SAE 6150 CHROME VANADIUM *Electric Furnace* STEEL



CLUTCH HEAD SCREWDRIVERS

This is a new type of screw with a screw slot shaped somewhat like the figure 8. It is being used on truck panel bodies (Chevrolet, etc.) and for other sheet metal assemblies. We offer two types in five different sizes. Type G is for ordinary service work and is the kind mostly in demand. Type A, however, will hold the screw by turning counter clockwise. It is used in original assembly work.



Non-Friction Hold (Type G)

CATALOG No.	TIP SIZE	BLADE LENGTH	BLADE DIAMETER	WT. PKG. OF TEN
G3324	3/32 in.	4 in.	1/8 in.	⅜ lb.
G183	1/8 in.	3 in.	3/16 in.	1⅜ lb.
G5324	5/32 in.	4 in.	1/4 in.	2 lb.
G3164	3/16 in.	4 in.	1/4 in.	2 lb.
G146	1/4 in.	6 in.	5/16 in.	3½ lb.
G5166	5/16 in.	6 in.	3/8 in.	4¾ lb.

Friction Hold (Type A)

A183	1/8 in.	3 in.	3/16 in.	1⅜ lb.
A5324	5/32 in.	4 in.	3/16 in.	2 lb.
A3164	3/16 in.	4 in.	1/4 in.	2 lb.
A146	1/4 in.	6 in.	5/16 in.	3½ lb.
A5166	5/16 in.	6 in.	3/8 in.	4¾ lb.

See pages 6, 7 and 13 for these items in Reversible Type Blades.

EXPLOSION PROOF!

Where You Use Explosion Proof Equipment . . . **YOU SHOULD USE . . . "Non-Sparking" HAND TOOLS**

BERYLLIUM-COPPER SCREWDRIVERS



BR 1410 FC

NON-SPARKING . . . NON-MAGNETIC
No disturbance to television image.

Xcelite Beryllium-Copper screwdrivers are nearly as hard as steel . . . Therefore, with normal use will not "give" or shear off as with plastic, fibre, bone, etc. and do not require constant regrinding.

Beryllium Copper Sizes

CATALOG	BLADE	WEIGHT PKG. OF 10
No. BR186	⅛ x 6	¾ lb.
No. BR1810	⅛ x 10	1 lb.
No. BR3168	3/16 x 8	1¾ lb.
No. BR146	¼ x 6	2¼ lb.
No. BR148	¼ x 8	2⅝ lb.

For Adjusting Focalizer on TV Sets

No. BR1410 FC	¼" x 10"	2⅞ lb.

AMBER PLASTIC HANDLES • SHOCK PROOF • BREAKPROOF

COMBINATION SCREWDRIVERS



Either Handle can be used on a 7/16" Hex. Nut !



Patented Spring in handle arrangement holds blades firmly in place.



CS2
(SB2 Blade)



CK3

The Original

DUAL PURPOSE SCREWDRIVER

Patented Spring in handle arrangement holds blades firmly in place. Blades are of SAE 6150 Chrome Vanadium Electric Furnace Steel. With this XceLite handle and one of these double end blades you have two screwdrivers for just about the price of one and every blade you buy doubles your saving !

Regular Blade (ONLY) Combinations

		WT. PKG. OF TEN
No. RB1	No. 1 Phillips Point and 3/16 in. Slotted	¾ lb.
No. RB2	No. 2 Phillips Point and 1/4 in. Slotted	1¼ lb.
No. RB3	No. 3 Phillips Point and 5/16 in. Slotted	1½ lb.

Reversible Clutch Type Blades (ONLY)

No. GB1	3/16 in. "G" Type Clutch and 5/32 in. "G" Type Clutch on other end	1¼ lb.
No. GB2	5/16 in. "G" Type Clutch and 1/4 in. "G" Type Clutch on other end	1½ lb.

Stubby Blade (ONLY) Combinations

No. SB1	No. 1 Phillips Point and 3/16 in. Slotted	⅜ lb.
No. SB2	No. 2 Phillips Point and 1/4 in. Slotted	½ lb.

COMPLETE (Handle & Blade) UNITS

No. CR1	RB1 Blade & No. 25 (Regular) Handle	2⅜ lb.
No. CR2	RB2 Blade & No. 25 (Regular) Handle	2⅝ lb.
No. CR3	RB3 Blade & No. 25 (Regular) Handle	3 lb.
No. CS1	SB1 Blade & No. 26 (Stubby) Handle)	1½ lb.
No. CS2	SB2 Blade & No. 26 (Stubby) Handle	1⅝ lb.

Pocket Roll Kit

FOR YOUR COMBINATION SCREWDRIVERS IS HANDY AND DURABLE

No. CK3 Set	Contains RB1, RB2, and RB3 Blades with No. 25 Handle.
No. CK2 Set	Contains RB1 and RB2 Blades with No. 25 Handle.
No. CK5 Set	CK3 Set with GB1 and GB2 Blades.

ALL BLADES ARE OF SAE 6150 CHROME VANADIUM *Electric Furnace* STEEL

COMBINATION REVERSIBLE ASSORTMENT No. 100

This distributor backup stock assortment will help service the increasing number of requests for additional or replacement items for Combination Screwdriver Sets. The assortment contains: Twenty (20) No. 25 Regular Handles, Ten (10) No. 26 Stubby Handles and Ten (10) each of the following reversible blades: RB1, RB2, RB3, SB1, SB2, GB1, and GB2.

Weight 11½ lbs.



HANDY COMBINATION . . . . Instantly Visible in these *Durable Plastic Kits . . . .*

No. CK-20

No. SK-20



Everybody . . . the EXPERT, HANDYMAN, SPORTSMAN . . . will appreciate the convenience of these kits that fit into the Hip Pocket, Tool Box, Boat Kit or Glove Compartment so neatly requiring such little space.

REGULAR

No. CK-20 (as illustrated) RB1, RB2 blades and No. 25 Handle in zipper case ..... weight 1/3 lb.
No. CK-20C ..... with Chrome Plated Blades
No. CK-23 ..... Same as CK-20 with RB3 blade added
No. CK-23C ..... with Chrome Plated Blades

STUBBY

No. SK-20 (as illustrated) SB1, SB2 blades and No. 26 Handle in snap type case ..... weight ¼ lb.
No. SK-20C ..... with Chrome Plated Blades

AN IDEAL GIFT . . . with your imprint on Handle!

Special Application Hand Tools

We are equipped to design and manufacture before drawing specifications we may be .

Types illustrated are typical . . .



. . . NOT AVAILABLE FROM STOCK !

tools for Special Problems - Send us information
able to modify one of our many standard tools . . .



We also make a Special line of Gift Items for Christmas and other occasions . . Special imprinting, numbers etc.

Send for Information . . .

lity Hand Tools . . .

Color Coded NUTDRIVERS . . . .



REGULAR

CATALOG No.	HANDLE COLOR	HEXAGON SIZE ACROSS FLATS	OVERALL LENGTH	WT. PKG. OF TEN
6	Black	3/16 in.	6 in.	1⅝ lb.
7	Brown	7/32 in.	6 in.	1⅝ lb.
8	Red	1/4 in.	6 in.	1⅝ lb.
9	Orange	9/32 in.	6 in.	1⅝ lb.
10	Amber	5/16 in.	6 in.	1⅝ lb.
11	Green	11/32 in.	6 in.	1⅝ lb.
12	Blue	3/8 in.	6 in.	1⅝ lb.
14	Brown	7/16 in.	7½ in.	3½ lb.
16	Red	1/2 in.	7½ in.	3½ lb.
***Extra Long Type**				
A6	Black	3/16 in.	9 in.	2¼ lb.
A7	Brown	7/32 in.	9 in.	2¼ lb.
A8	Red	1/4 in.	9 in.	2¼ lb.
A9	Orange	9/32 in.	9 in.	2¼ lb.
A10	Amber	5/16 in.	9 in.	2¼ lb.
A11	Green	11/32 in.	9 in.	2¼ lb.
A12	Blue	3/8 in.	9 in.	2¼ lb.
Stubby Type				
S8	Red	1/4 in.	3¼ in.	1¼ lb.
S10	Amber	5/16 in.	3¼ in.	1¼ lb.
S11	Green	11/32 in.	3¼ in.	1¼ lb.
S12	Blue	3/8 in.	3¼ in.	1¼ lb.

*For larger diameter in extra length type see hollow shaft below.

Also HOLLOW SHAFT TYPE

CATALOG No.	HANDLE COLOR	HEXAGON SIZE ACROSS FLATS	OVERALL LENGTH	WT. PKG. OF TEN
HS8	Red	1/4 in.	6⅞ in.	1½ lb.
HS9	Orange	9/32 in.	6⅞ in.	1½ lb.
HS10	Amber	5/16 in.	6⅞ in.	1½ lb.
HS11	Green	11/32 in.	6⅞ in.	1½ lb.
HS12	Blue	3/8 in.	6⅞ in.	1½ lb.
HS13	Amber	13/32 in.	6⅞ in.	2 lb.
HS14	Brown	7/16 in.	6⅞ in.	2¾ lb.
HS15	Amber	15/32 in.	6⅞ in.	2¾ lb.
HS16	Red	1/2 in.	6⅞ in.	2¾ lb.
HS17	Amber	17/32 in.	6⅞ in.	2¾ lb.
HS18	Orange	9/16 in.	6⅞ in.	2¾ lb.
HS19	Amber	19/32 in.	6⅞ in.	2¾ lb.
HS20	Amber	5/8 in.	6⅞ in.	3 lb.

ALL SHAFTS HIGHLY POLISHED



NUT DRIVER SETS . . .



No. 17

Set contains: Nos. 6, 7, 8, 9, 10, 11 and 12 Nutdrivers with bench stand. Blades are Nickel plated. Also available in Chrome.

No. 17 (Nickel)	Weight – 1 ½ lb.
No. 17C (Chrome)	Weight — 1 ½ lb.



No. 137

Set contains: Nos. 6, 8, 10, 11, 12, HS16 and HS18 Nutdrivers with bench stand. Blades are Nickel plated. Also available in Chrome.

No. 137 (Nickel)	Weight — 2 lb.
No. 137C (Chrome)	Weight — 2 lb.



No. 127

Set contains: Nos. 6, 7, 8, 9, 10, 11 and 12 Nutdrivers with lockable wall rack. Blades are Nickel plated. Also available in Chrome.

No. 127 (Nickel)	Weight — 2 lb.
No. 127C (Chrome)	Weight — 2 lb.



All Hollow Shaft No. 147

Set contains: Nos. HS8, HS9, HS10, HS11, HS12, HS14, and HS16 Hollow Shaft Nutdrivers with bench stand. Blades are Nickel plated. Also available in Chrome.

No. 147 (Nickel)	Weight — 2 lb.
No. 147C (Chrome)	Weight — 2 lb.

MIDGET NUTDRIVERS . . . . *Pocket Style*

See Inside Back Cover for Card Displays.

CAT. No.	SIZE	HANDLE
P 3	3/32"	Blue
P 4	⅛"	Red
P 5	5/32"	Amber

Weight Pkg. of 10 — ½ lb.

CAT. No.	SIZE	HANDLE
P8	1/4"	Red
P10	5/16"	Amber
P12	3/8"	Blue

Weight Pkg. of 10 — ½ lb.

Service Master THE COMPLETE SERVICEMAN'S KIT!

with the "99" Stubby and the "99X10" Extension

No. 99 SM

99% OF SERVICE CALLS CAN BE HANDLED WITH THE SERVICE MASTER KIT

The most complete and versatile set of Quality Tools, in a roll kit that won't mark or scratch the surface it's placed on. SET CONTAINS: No. 52C Long Nose Plier; No. 55C Diag. Plier; No. 46 Adj. Wrench; No. 99-6 thru -12, -14, -16 (Regular) and No. 99-S8, -S10, -S12 (Stubby) Nutdrivers; No. 99-811, -812 (Slotted) and -821 (#1 Phillips) Screwdrivers; No. 99-38, -39 Reamers; No. 99X10 Extension; No. 99-1 (Regular) and -3 (Stubby) Handles.

All Are Highly Polished Nickel Chrome Finish ..... Weight 2¾ lb.

SERVICE MASTER KITS ONLY . . . for those who already have "99" Sets, or may be used with any combination of items . . . **No. 99SMK** ..... Weight Pkg. of 6 — 2 lbs.

No. 99X10 EXTENSION BLADE

Made to the same high standards as the blades— with Bright Chrome Finish. It is 8" long — and is used with any "99" handle (see illustration) to extend all nut driver and single end screwdriver blades.

Weight
Pkg. of six — 1 lb.

SUPER REAMERS *Designed to fit all the handles in the "99" Sets . . .*



No. 99-38

No. 99-38 (⅛" to ⅜") Super Hard Chrome Finish.

Weight Pkg. of Six ..... ½ lb.

No. 99-39

No. 99-39 (¼" to ½") Featuring .190 hole in upper section . . . use any 3/16" round shank screwdriver to apply necessary torque.

Weight Pkg. of Six ..... ¾ lb.

FIXED HANDLE

Super hard chrome finish reamer fixed in "man" size handle. No. 38 (⅛" to ⅜")

Weight Pkg. of Ten ..... 2 lb.

No. 39 (¼" to ½") Featuring .190 hole in upper section . . . use any 3/16" round shank to apply necessary torque.

Weight Pkg. of Ten ..... 2½ lb.

BRIGHT CHROME PLATED FOR ENDURING FINISH AND FINE QUALITY

SERIES "99" TOOLS

		WT. PKG. OF SIX
No. 99-1	Handle (Regular)	1 lb.
No. 99-2	Handle (Junior)	1/2 lb.
No. 99-3	Handle (Stubby)	1/2 lb.
No. 99-6	3/16" Nut Driver	1/3 lb.
No. 99-7	7/32" Nut Driver	1/3 lb.
No. 99-8	1/4" Nut Driver	1/3 lb.
No. 99-9	9/32" Nut Driver	1/3 lb.
No. 99-10	5/16" Nut Driver	1/2 lb.
No. 99-11	11/32" Nut Driver	1/2 lb.
No. 99-12	3/8" Nut Driver	1/2 lb.
No. 99-14	7/16" Nut Driver	3/4 lb.
No. 99-16	1/2" Nut Driver	3/4 lb.
No. 99-81	3/16" & 9/32" Slotted, Reversible	1/2 lb.
No. 99-82	#1 & #2 Phillips, Reversible	1/2 lb.
No. 99-83	3/16" & 9/32" Reed & Prince, Rev.	1/2 lb.
No. 99-84	3/16" & 5/32" Clutch "G," Reversible	1/2 lb.
No. 99-811	3/16" Slotted	1/3 lb.
No. 99-812	9/32" Slotted	1/3 lb.
No. 99-821	#1 Phillips	1/3 lb.
No. 99-822	#2 Phillips	1/3 lb.
No. 99-38	Reamer (1/8"-3/8")	1/2 lb.
No. 99-39	Reamer (1/4"-1/2")	3/4 lb.
No. 99X10	Extension	1 lb.

Stubby Nut Drivers

No. 99-S8	No. 99-S10	No. 99-S12
1/4 lb.	1/4 lb.	1/4 lb.



No. 699 REPLACEMENT

No. 799 SUPPLEMENT ASSORTMENT

This distributor backup stock assortment will help service the increasing number of requests for additional or replacement items for all the "99" Sets.

No. 699 Contains six (6) each of the following ..... Weight 11 lbs.

99-1	Handles	99-8	Nutdrivers	99-12	Nutdrivers	99-39	Reamers
99-2	Handles	99-9	Nutdrivers	99-14	Nutdrivers	99-81	Rev. S. D.
99-6	Nutdrivers	99-10	Nutdrivers	99-16	Nutdrivers	99-82	Rev. Phillips
99-7	Nutdrivers	99-11	Nutdrivers	99-38	Reamers	99-K	Kits only

No. 799 Contains six (6) each of the following ..... Weight 9 lbs.

99-3	Handles	99-821	Screwdrivers	99-S10	Nutdrivers
99-811	Screwdrivers	99-822	Screwdrivers	99-S12	Nutdrivers
99-812	Screwdrivers	99-S8	Nutdrivers	99X10	Extension
				99SMK	Kits only

No. 99PR Multi-purpose Nut and Screwdriver Set



The original detachable blade serviceman's set.

Set Contains: Weight 1½ lbs.

No. 99-6, -7, -8, -9, -10, -11, -12, -14, -16 Nutdrivers.

No. 99-81 (Slotted) and -82 (Phillips) Reversible Screwdriver Blades.

No. 99-1 Handle (Regular).

No. 99K (Kit only).



No. 99JR Pocket Size Edition Nut and Screwdriver Set

Set Contains: Weight 1¼ lbs.

No. 99-6, -7, -8, -9, -10, -11, -12 Nutdrivers.

No. 99-811, -812 (Slotted) and 99-821, -822 (Phillips) Screwdriver Blades.

No. 99-2 Handle (Junior).

No. 99KJR (Kit only).

PRECISION FORMED SOCKETS FOR PERFECT FIT



No. 62CG

New CUSHION GRIP!

Gives pliers a "Feel" that inspires Craftsmanship!

Plier handles have a dipped plastic coating . . . permanent, comfortable. Xcelite Cushion Grip handles are not bulky, will not slip off and provide a positive comfortable grip never before experienced when using pliers.

All pliers are available with "Cushion Grip" handles, see note below for ordering.

PLIERS . . . not Illustrated

No. 52 Long Nose Plier (without side cutters)
Long perfectly matched tips on this rugged plier make it ideal for gripping and twisting in awkward places.
WEIGHT PACKAGE OF 6 — 2 LBS.

No. 55 5 in. Diagonal Plier
An ideal plier for most cutting needs. Hand honed cutting edges slice through medium wire with ease.
WEIGHT PACKAGE OF 6 — 1½ LBS.

No. 66 6 in. Diagonal Plier
Heavier than the No. 55 (above) this all purpose diagonal is small enough for most jobs and still affords the grip necessary for the "tough ones".
WEIGHT PACKAGE OF 6 — 2⅜ LBS.

No. 67 7 in. Diagonal Plier
A rugged plier with all the leverage required for the heavy applications. Hand honed cutting edges that really stand up where the going is "tough".
WEIGHT PACKAGE OF 6 — 3¼ LBS.

No. 68 8 in. Side Cutting Plier
A "man size" side cutter for the "man size" applications. Big brother to the No. 60, this plier offers the grip and leverage needed for cutting heavy wire.
WEIGHT PACKAGE OF 6 — 5 LBS.

No. 63 10 in Heavy Utility Plier
This heavy duty all purpose plier has a forged rib lock design for strength plus high leverage, serrated jaws.
WEIGHT PACKAGE OF 6 — 5⅛ LBS.

No. 75 5 in. Combination Plier
Handy small size, high quality slip joint combination plier.
WEIGHT PACKAGE OF 6 — 1½ LBS.

No. 78 8 in. Combination Plier
A high quality slip joint combination plier. Sturdy construction — ideal for heavy duty.
WEIGHT PACKAGE OF 6 — 3¾ LBS.

Note: Add "C" (Chrome) or "CG" (Cushion Grip) to Above Catalog Numbers When



No. 58



No. 56



No. 51

ALL CUTTING EDGES INDUCTION HARDENED AND HAND HONED

PLIERS . . . *Illustrated*

No. 40 Midget 4 in. Side Cutting Plier
An ideal "small size" with no sacrifice in quality. Serrated jaws and hand honed edges. WEIGHT PACKAGE OF 6 — 1¼ LBS.

No. 41 Midget 4 in. Long Nose (without side cutter)
Perfectly matched tips are long and sturdy for gripping and twisting in places where space is limited.
WEIGHT PACKAGE OF 6 — 1 LB.

No. 54 Midget 4 in. Diagonal Plier
The ideal plier for close quarter work. For radio servicemen, electricians and hobbyists.
WEIGHT PACKAGE OF 6 — 1 LB.

No. 50 5 in. Ignition Plier
Narrow head, permits working in close quarters. Three slip joint adjustments. WEIGHT PACKAGE OF 6 — 1 LB.

No. 53 6 in. Utility Plier
A husky all purpose plier with forged rib lock design and serrated jaws. WEIGHT PACKAGE OF 6 — 2⅝ LBS.

No. 60 6 in. Side Cutting Plier
The "just right" size for most side cutting operations. Serrated upper and lower jaw for gripping. Hand honed cutting edges.
WEIGHT PACKAGE OF 6 — 3⅛ LBS.

No. 59 Chain Nose Electricians Plier
Long reach and high leverage are combined in this plier. Slim enough to go into a small space yet rugged enough to stand the pressure. WEIGHT PACKAGE OF 6— 2⅝ LBS.

No. 76 6 in. Combination Plier
A high quality slip joint combination plier. Sturdy construction — ideal for general use. WEIGHT PACKAGE OF 6 — 3 LBS.

No. 51 Long Nose Plier (with side cutter)
The same rugged strength and long reach of the No. 52 plus side cutters. This plier is a must with most servicemen.
WEIGHT PACKAGE OF 6 — 2 LBS.

No. 56 6 in. Needle Nose Plier
Long slim jaws permit entry of this plier where regular long nose plier won't work. WEIGHT PACKAGE OF 6 — 1¼ LBS.

No. 58 Radio and TV Plier
Designed for radio and TV servicemen . . . extreme tip for gripping, with sharp cutting edges ¼" back from tip.
WEIGHT PACKAGE OF 6 — 2⅛ LBS.

No. 62 Transverse Cutter Plier
For flush cutoff . . . where ordinary pliers won't reach. Printed circuits and the popular miniature sets are easily serviced with this plier. WEIGHT PACKAGE OF 6 — 2 LBS.


No. 40


No. 41


No. 54


No. 50


No. 53

Ordering Chrome or Cushion Grip Pliers . . .


No. 76



No. 59



No. 60

FULLY POLISHED HEADS AND JAWS FOR AN ENDURING QUALITY FINISH



® Trade Mark Registered

"Seizer"

A remarkably versatile tool with unusual holding qualities. Curved or straight nose, six inches long, they'll hold momentarily or clamp on and release easily.

With the instant response of "fingers" they'll hold dial cords, wires for soldering, act as a heat sink, out-reach and out-hold needle nose pliers and pick screws, washers, etc. from "far-a-way" places and *HOLD* them.

All Stainless Steel, perfectly tempered (won't take a set) with precise box joints, they provide the necessary "third hand" in so many tricky servicing situations.

No. 42H Straight nose ..... Weight Pkg. of 10 — 1½ lb.

No. 43H Curved Nose ..... Weight Pkg. of 10 — 1½ lb.

ADJUSTABLE WRENCH

The XceLite thin pattern full Alloy Steel Wrench was designed by mechanics for mechanics to get at places inaccessible with an ordinary wrench of this type.

Made in Five Popular Sizes

Cat. No.	Length	Pkg. of Ten	Cat. No.	Length	Pkg. of Ten
No. 44	4 in.	⅞ lb.	No. 40-10	10 in.	5 lb.
No. 46	6 in.	2 lb.	No. 40-12	12 in.	9½ lb.
No. 48	8 in.	3¾ lb.			

DISTRIBUTOR TOOLS



DUAL PURPOSE
(Flexible Shaft)

With the hooded screwdriver bit, it's easy to adjust the carburetor idle mixture screw. A quick change to the Allen bit and you're ready to adjust Delco-Remy Distributors.

No. 112
Weight Pkg of Ten..... 3 lb.

DUAL PURPOSE

Designed specifically — to service Delco Distributor Head (such as Chevrolet, etc.)

One end fits the special circular slotted nut, the other end fits the standard 11/32" hex. nut. — Distributor points can be adjusted or replaced quickly and easily.

No. 110
Weight Pkg. of Ten..... 1½ lb.



No. 110

ELECTRICIANS KNIFE

This high quality knife is the "standby" for electricians and radio-tv servicemen.

Screwdriver blade has a sharp edge for scraping insulation — positive lock when open.

No. K-22
Weight Pkg. of Ten..... 2 lb.

TOOL HOLSTER

No. 150

Has 5 pockets — made of pliable form fitting leather, stitched to solid Russet Saddle leather back with hot waxed thread — locked with steel rivets. Tools shown are for "illustration only".

No. 150 ..... Weight ½ lb.



Pocket Style NUTDRIVERS .... Color Coded!

These colorful displays have a Metal Mounting Strip for Easy Reloading! (Easeled and Punched).

No. P10-345



No. P30-8





No. P30-5D

No. P30-3 (Not Illustrated) 30 No. P3 Midget 3/32" Nutdrivers
Weight — 2 lbs.

No. P30-4 (Not Illustrated) 30 No. P4 Midget 1/8" Nutdrivers
Weight — 2 lbs.

No. P30-5D
Contains: 30 No. P5 Midget 5/32" Nutdrivers Weight — 2 lbs.

No. P10-345
Contains: 10 Each of No. P3 3/32", No. P4 1/8" and P5 5/32" Midget Nutdrivers Weight — 2 lbs.

No. P30-8
Contains: 30 No. P8 Midget 1/4" Nutdrivers Weight — 2 lbs.

No. 10-12D (Not Illustrated)
Contains: 15 Each No. P10 5/16" and No. P12 3/8" Midget Nutdrivers
Weight — 2 lbs.

These popular Midget Nutdrivers are available in any combination of sizes, but not less than ten (10) of a number.

No. 18-10

Pocket Screwdrivers . . .

No. 18-10 Contains: 5 Each of No. R183 and No. R184½ Pocket Screwdrivers
Weight — ¾ lb.

No. 32-10 Contains: 5 Each of No. R3323 and No. R3324 Pocket Screwdrivers
Weight — ¾ lb.

No. 181-20 Contains: 20 No. R181 Pocket Screwdrivers Weight — 1 lb.

No. P12-20 Contains: 20 No. P12S No. 0 Phillips Pocket Screwdrivers
Weight — 1 lb.

No. 332-20 Contains: 20 No. R3322 Pocket Screwdrivers Weight — 1 lb.

No. 32-10

No. 181-20

No. P12-20



No. 332-20

Warehouse Stocks maintained at locations indicated . . . assuring prompt service and minimum transportation costs.

Guarantee

Built of the finest materials by experienced craftsmen, all **XceLite** Tools are unreservedly guaranteed for one year against defective materials and workmanship. Replacements, due to such defects, will be cheerfully made. This guarantee does **not** apply to tool failure due to abuse or mishandling by the user.

F. B. Farrington

F. BIRNEY FARRINGTON, PRESIDENT

Litho in U.S.A.